

高性能计算的新发展

基于图形处理器的并行计算及**CUDA**编程

Ying Liu, Associate Prof., Ph.D

Graduate University of Chinese Academy of Sciences
Research Center on Fictitious Economy and Data Science


Parallel Reduction

- Common and important data parallel primitive
 - Easy to implement in CUDA
 - Harder to get it right
- Serves as a great optimization example
 - Step by step through 7 different versions
 - Demonstrates several important optimization strategies

$$\textcircled{3} + \textcircled{1} + \textcircled{7} + \textcircled{0} + \textcircled{4} + \textcircled{1} + \textcircled{6} + \textcircled{3} = ?$$

Parallel Reduction


- Tree-based approach used within each thread block



- Multiple thread blocks
 - Very large array
 - Each thread block processes a portion of the array
- How to manage communication between thread blocks?

Parallel Reduction: Global Synchronization

- Thread synchronization after pair-wise reduction




Parallel Reduction: Global Synchronization

- Problem of CUDA — not support global synchronization
 - Too many kernels, hardware synchronization is costly
 - Dead-lock
- Solution
 - Thread synchronization within thread block

Parallel Reduction: Decomposition

- Partition the data into blocks/kernels



- Code in each thread is identical
- Iterative

Optimization Goal

■ Philosophy

- GFLOP/s: for compute-bound kernels
 - QR factorization, convolution, FIR filter, e.g.
- Bandwidth: for memory-bound kernels
 - Database, video playback, ..., e.g.
- Both
 - Pattern matching, singular value decomposition, ..., e.g.


■ Reduction has very low computation intensity

- 1 floating point operation / 2 elements
- **Maximize bandwidth!**

■ G80

- 384-bit memory interface, 900 MHz DDR
- $384 * 900/4 = 86.4$ GB/s

Reduction #1: Interleaved Addressing



Reduction #1: Interleaved Addressing

```
__global__ void reduce0(int *g_idata, int *g_odata) {
    extern __shared__ int sdata[];
    // each thread loads one element from global to shared mem
    unsigned int tid = threadIdx.x;
    unsigned int i = blockIdx.x*blockDim.x + threadIdx.x;
    sdata[tid] = g_idata[i];
    __syncthreads();

    // do reduction in shared mem
    for(unsigned int s=1; s < blockDim.x; s *= 2) {
        if (tid % (2*s) == 0)
            sdata[tid] += sdata[tid + s];
        __syncthreads();
    }
    // write result for this block to global mem
    if (tid == 0) g_odata[blockIdx.x] = sdata[0];
}
```

Reduction #1: Interleaved Addressing

```
__global__ void reduce0(int *g_idata, int *g_odata) {
```

```
    extern __shared__ int sdata[];
```

```
    // each thread loads one element from global to shared mem
```

```
    unsigned int tid = threadIdx.x;
```

```
    unsigned int i = blockIdx.x*blockDim.x + threadIdx.x;
```

```
    sdata[tid] = g_idata[i];
```

```
    __syncthreads();
```

```
    // do reduction in shared mem
```

```
    for(unsigned int s=1; s < blockDim.x; s *= 2) {
```

```
        if (tid % (2*s) == 0) {
```

```
            sdata[tid] += sdata[tid + s];
```

```
        }
```

```
        __syncthreads();
```

```
    }
```

```
    // write result for this block to global mem
```

```
    if (tid == 0) g_odata[blockIdx.x] = sdata[0];
```

```
}
```

@ Ying Liu

2009-4-27

10

Problem: highly divergent branching results in very poor performance!

% operator is very slow

Performance for 4M Element Reduction

	Time (2^{22} ints)	Bandwidth
Kernel 1: interleaved addressing with divergent branching	8.054 ms	2.083 GB/s

Note: Block Size = 128 threads for all tests

Reduction #2: Interleaved Addressing


- Divergence

```
for (unsigned int s=1; s < blockDim.x; s *= 2) {  
    if (tid % (2*s) == 0) {  
        sdata[tid] += sdata[tid + s];  
    }  
    __syncthreads();  
}
```

- Avoid divergence

```
for (unsigned int s=1; s < blockDim.x; s *= 2) {  
    int index = 2 * s * tid;  
    if (index < blockDim.x) {  
        sdata[index] += sdata[index + s];  
    }  
    __syncthreads();  
}
```

Reduction #2: Interleaved Addressing



```

for (unsigned int s=1; s < blockDim.x; s *= 2) {
    int index = 2 * s * tid;
    if (index < blockDim.x) {
        sdata[index] += sdata[index + s];
    }
    __syncthreads();
}
    
```


Performance for 4M Element Reduction

	Time (2^{22} ints)	Bandwidth	Step Speedup	Cumulative Speedup
Kernel 1: interleaved addressing with divergent branching	8.054 ms	2.083 GB/s		
Kernel 2: interleaved addressing with bank conflicts	3.456 ms	4.854 GB/s	2.33x	2.33x

Reduction #2: Interleaved Addressing


■ Bank conflict!

```
for (unsigned int s=1; s < blockDim.x; s *= 2) {  
    int index = 2 * s * tid;  
    if (index < blockDim.x) {  
        sdata[index] += sdata[index + s];  
    }  
    __syncthreads();  
}
```



Parallel Reduction: Sequential Addressing

- Bank conflict free



Reduction #3: Sequential Addressing

- Just replace strided indexing in inner loop:

```
for (unsigned int s=1; s < blockDim.x; s *= 2) {
    int index = 2 * s * tid;
    if (index < blockDim.x) {
        sdata[index] += sdata[index + s];
    }
    __syncthreads();
}
```

- With reversed loop and threadID-based indexing:

```
for (unsigned int s=blockDim.x/2; s>0; s>>=1) {
    if (tid < s) {
        sdata[tid] += sdata[tid + s];
    }
    __syncthreads();
}
```


Performance for 4M Element Reduction

	Time (2^{22} ints)	Bandwidth	Step Speedup	Cumulative Speedup
Kernel 1: interleaved addressing with divergent branching	8.054 ms	2.083 GB/s		
Kernel 2: interleaved addressing with bank conflicts	3.456 ms	4.854 GB/s	2.33x	2.33x
Kernel 3: sequential addressing	1.722 ms	9.741 GB/s	2.01x	4.68x

Observation: Idle Threads

```
for (unsigned int s=blockDim.x/2; s>0; s>>=1) {  
    if (tid < s) {  
        sdata[tid] += sdata[tid + s];  
    }  
    __syncthreads();  
}
```

- In the first iteration, half threads are idle!
 - Waste half resources ...



Reduction #4: First Add During Load


```
// each thread loads one element from global to shared mem
unsigned int tid = threadIdx.x;
unsigned int i = blockIdx.x*blockDim.x + threadIdx.x;
sdata[tid] = g_idata[i];
__syncthreads();
```

- Reduce # blocks by half
- 2 global memory loads in the first add


```
// perform first level of reduction
// reading from global memory, writing to shared memory
unsigned int tid = threadIdx.x;
unsigned int i = blockIdx.x*(blockDim.x*2) + threadIdx.x;
sdata[tid] = g_idata[i] + g_idata[i+blockDim.x];
__syncthreads();
```

Reduction #4: First Add During Load

■ Reduction #3



■ Reduction #4



Performance for 4M Element Reduction


	Time (2^{22} ints)	Bandwidth	Step Speedup	Cumulative Speedup
Kernel 1: interleaved addressing with divergent branching	8.054 ms	2.083 GB/s		
Kernel 2: interleaved addressing with bank conflicts	3.456 ms	4.854 GB/s	2.33x	2.33x
Kernel 3: sequential addressing	1.722 ms	9.741 GB/s	2.01x	4.68x
Kernel 4: first add during global load	0.965 ms	17.377 GB/s	1.78x	8.34x

Performance Bottleneck

- 17 GB/s \ll 86.4 GB/s
 - Algorithm has been optimized
 - Other operations may incur the cost
 - loads, stores
 - loops
- Strategy
 - Code optimization


Loop Unrolling

- # threads drops
 - When # threads ≤ 32 , only one warp is working
 - Other warps are idle
 - We don't need "if (tid < s)" because it doesn't save any work
- Instructions are SIMD synchronous within a warp
- No synchronization is required in a warp
 - Scoreboarding automatically maintain synchronization
- Unroll the last 6 loops



Reduction #5: Unroll the Last Warp

```
for (unsigned int s=blockDim.x/2; s>0; s>>=1) {  
    if (tid < s) {  
        sdata[tid] += sdata[tid + s];  
    }  
    __syncthreads();  
}
```



```
for (unsigned int s=blockDim.x/2; s>32; s>>=1){  
    if (tid < s)  
        sdata[tid] += sdata[tid + s];  
    __syncthreads();  
}  
if (tid < 32){  
    sdata[tid] += sdata[tid + 32]; sdata[tid] += sdata[tid + 16];  
    sdata[tid] += sdata[tid + 8]; sdata[tid] += sdata[tid + 4];  
    sdata[tid] += sdata[tid + 2]; sdata[tid] += sdata[tid + 1];  
}
```

Performance for 4M Element Reduction

	Time (2^{22} ints)	Bandwidth	Step Speedup	Cumulative Speedup
Kernel 1: interleaved addressing with divergent branching	8.054 ms	2.083 GB/s		
Kernel 2: interleaved addressing with bank conflicts	3.456 ms	4.854 GB/s	2.33x	2.33x
Kernel 3: sequential addressing	1.722 ms	9.741 GB/s	2.01x	4.68x
Kernel 4: first add during global load	0.965 ms	17.377 GB/s	1.78x	8.34x
Kernel 5: unroll last warp	0.536 ms	31.289 GB/s	1.8x	15.01x

Completely Unrolled

- Loops may be completely unrolled
 - Assumption: the number of iterations is known!
 - Max # block threads = 512
 - 2^m threads in thread block
 - Unroll loops for 2^m threads, where $m = 0, 1, 2, \dots$
- So we can easily unroll for a fixed block size
 - How can we unroll for block sizes that we don't know at compile time?
- How to make the code generic?
 - How to know # threads in a block when compiling?
- **Template!**
 - CUDA supports C++ template parameter

Unrolling with Templates

- Specify blocksize as a function template parameter:

```
template <unsigned int blockSize>
__global__ void reduce5(int *g_idata, int *g_odata)
```

Reduction #6: Completely Unrolled

```
if (blockSize >= 512) {
    if (tid < 256) { sdata[tid] += sdata[tid + 256]; } __syncthreads();
}
if (blockSize >= 256) {
    if (tid < 128) { sdata[tid] += sdata[tid + 128]; } __syncthreads();
}
if (blockSize >= 128) {
    if (tid < 64) { sdata[tid] += sdata[tid + 64]; } __syncthreads();
}
if (tid < 32) {
    if (blockSize >= 64) sdata[tid] += sdata[tid + 32];
    if (blockSize >= 32) sdata[tid] += sdata[tid + 16];
    if (blockSize >= 16) sdata[tid] += sdata[tid + 8];
    if (blockSize >= 8) sdata[tid] += sdata[tid + 4];
    if (blockSize >= 4) sdata[tid] += sdata[tid + 2];
    if (blockSize >= 2) sdata[tid] += sdata[tid + 1];
}
```

All code in **RED** will be evaluated at compile time

Invoking Template Kernels

- Don't we still need block size at compile time?
 - No! just a switch statement for 10 possible block sizes:

```
switch (threads){  
    case 512: reduce5<512><<< dimGrid, dimBlock, smemSize >>>(d_idata, d_odata); break;  
    case 256: reduce5<256><<< dimGrid, dimBlock, smemSize >>>(d_idata, d_odata); break;  
    case 128: reduce5<128><<< dimGrid, dimBlock, smemSize >>>(d_idata, d_odata); break;  
    case 64:  reduce5< 64><<< dimGrid, dimBlock, smemSize >>>(d_idata, d_odata); break;  
    case 32:  reduce5< 32><<< dimGrid, dimBlock, smemSize >>>(d_idata, d_odata); break;  
    case 16:  reduce5< 16><<< dimGrid, dimBlock, smemSize >>>(d_idata, d_odata); break;  
    case 8:   reduce5< 8><<< dimGrid, dimBlock, smemSize >>>(d_idata, d_odata); break;  
    case 4:   reduce5< 4><<< dimGrid, dimBlock, smemSize >>>(d_idata, d_odata); break;  
    case 2:   reduce5< 2><<< dimGrid, dimBlock, smemSize >>>(d_idata, d_odata); break;  
    case 1:   reduce5< 1><<< dimGrid, dimBlock, smemSize >>>(d_idata, d_odata); break;  
}
```

Performance for 4M Element Reduction

	Time (2^{22} ints)	Bandwidth	Step Speedup	Cumulative Speedup
Kernel 1: interleaved addressing with divergent branching	8.054 ms	2.083 GB/s		
Kernel 2: interleaved addressing with bank conflicts	3.456 ms	4.854 GB/s	2.33x	2.33x
Kernel 3: sequential addressing	1.722 ms	9.741 GB/s	2.01x	4.68x
Kernel 4: first add during global load	0.965 ms	17.377 GB/s	1.78x	8.34x
Kernel 5: unroll last warp	0.536 ms	31.289 GB/s	1.8x	15.01x
Kernel 6: completely unrolled	0.381 ms	43.996 GB/s	1.41x	21.16x

Reduction #7: Multiple Adds / Thread

- Replace adding 2 global memory loads in the first add

```
unsigned int tid = threadIdx.x;
unsigned int i = blockIdx.x*(blockDim.x*2) + threadIdx.x;
sdata[tid] = g_idata[i] + g_idata[i+blockDim.x];
__syncthreads();
```

- By adding multiple global memory loads

```
unsigned int tid = threadIdx.x;
unsigned int i = blockIdx.x*(blockSize*2) + threadIdx.x;
unsigned int gridSize = blockSize*2*gridDim.x;
sdata[tid] = 0;
while (i < n) {
    sdata[tid] += g_idata[i] + g_idata[i+blockSize];
    i += gridSize;
}
__syncthreads();
```


Reduction #7: Multiple Adds / Thread

- gridSize, incremental global memory address
 - gridSize is multiples of 16
 - Aligned with next global memory load
 - **Memory coalescing!**

```
unsigned int tid = threadIdx.x;
unsigned int i = blockIdx.x*(blockSize*2) + threadIdx.x;
unsigned int gridSize = blockSize*2*gridDim.x;
sdata[tid] = 0;
while (i < n) {
    sdata[tid] += g_idata[i] + g_idata[i+blockSize];
    i += gridSize;
}
__syncthreads();
```

Performance for 4M Element Reduction

	Time (2^{22} ints)	Bandwidth	Step Speedup	Cumulative Speedup
Kernel 1: interleaved addressing with divergent branching	8.054 ms	2.083 GB/s		
Kernel 2: interleaved addressing with bank conflicts	3.456 ms	4.854 GB/s	2.33x	2.33x
Kernel 3: sequential addressing	1.722 ms	9.741 GB/s	2.01x	4.68x
Kernel 4: first add during global load	0.965 ms	17.377 GB/s	1.78x	8.34x
Kernel 5: unroll last warp	0.536 ms	31.289 GB/s	1.8x	15.01x
Kernel 6: completely unrolled	0.381 ms	43.996 GB/s	1.41x	21.16x
Kernel 7: multiple elements per thread	0.268 ms	62.671 GB/s	1.42x	30.04x


Kernel 7 on 16M elements: 72 GB/s!

```
template <unsigned int blockSize>
__global__ void reduce6(int *g_idata, int *g_odata, unsigned int n)
```

```
{
    extern __shared__ int sdata[];
    unsigned int tid = threadIdx.x;
    unsigned int i = blockIdx.x*(blockSize*2) + tid;
    unsigned int gridSize = blockSize*2*gridDim.x;
    sdata[tid] = 0;
    do { sdata[tid] += g_idata[i] + g_idata[i+blockSize]; i += gridSize; }
        while (i < n);
    __syncthreads();
    if (blockSize >= 512) { if (tid < 256) { sdata[tid] += sdata[tid + 256]; }
        __syncthreads(); }
    if (blockSize >= 256) { if (tid < 128) { sdata[tid] += sdata[tid + 128]; }
        __syncthreads(); }
    if (blockSize >= 128) { if (tid < 64) { sdata[tid] += sdata[tid + 64]; }
        __syncthreads(); }
    if (tid < 32) {
        if (blockSize >= 64) sdata[tid] += sdata[tid + 32];
        if (blockSize >= 32) sdata[tid] += sdata[tid + 16];
        if (blockSize >= 16) sdata[tid] += sdata[tid + 8];
        if (blockSize >= 8) sdata[tid] += sdata[tid + 4];
        if (blockSize >= 4) sdata[tid] += sdata[tid + 2];
        if (blockSize >= 2) sdata[tid] += sdata[tid + 1];
    }
    if (tid == 0) g_odata[blockIdx.x] = sdata[0];
}
```

final version

Performance Comparison



Parallel Reduction Summary

- Algorithm optimization
 - Changes to addressing, algorithm cascading
 - 8.34x speedup, combined!
- Code optimization
 - Loops Unrolling
 - 3.6x speedup, combined

Conclusion

- Understand CUDA performance characteristics
 - Memory coalescing
 - Divergent branching
 - Bank conflicts
 - Latency hiding
- Use peak performance metrics to guide optimization
- Understand parallel algorithm complexity theory
- Know how to identify type of bottleneck
 - e.g. memory, core computation, or instruction overhead
- Optimize your algorithm, *then* unroll loops
- Use template parameters to generate optimal code